



Apt Elev 902 Trans alt: 18000
1. GIR DME required.
2. Presence of birds on take-off. Exercise CAUTION.

GIRARDOT 1C [GIR1C]
DEPARTURE
(RWY 20)
CAT A & B



This SID requires a minimum climb gradient of 4.6% until reaching GIR VOR at or above 5000.

Gnd speed-KT	75	100	150	200	250	300
4.6% V/V (fpm)	349	466	699	932	1165	1397



ADDITIONAL RUNWAY INFORMATION

RWY	REMARKS	USABLE LENGTHS			WIDTH
		Threshold	Landing Beyond Glide Slope	TAKE-OFF	
02 ① 20	RL ② PAPI-L (angle 3.0°) RL ②				92' 28m

- ① Exercise CAUTION due to construction.
- ② Limited, no visible due to high weed.


TAKE-OFF		
All Rwy's		
Standard		
1 & 2 Eng	3 & 4 Eng	
1600m	800m	

SKGI/GIR
SANTIAGO VILA


JEPPESEN
7 OCT 16
Eff 13 Oct (13-1)

GIRARDOT, COLOMBIA
CAT A & B VOR-A Rwy 02

BOGOTA Approach (R)			*VILA Tower		
119.65			118.4		
VOR GIR 117.3	Final Apch Crs 052°	Minimum Alt VOR 3000' (2098')	MDA(H) 1410' (508')	Apt Elev 902'	Rwy 902'
MISSED APCH: Climb outbound on GIR VOR R-052 to 2500' and D8.0. Then climbing LEFT turn to 5000' to GIR VOR and hold.					
Alt Set: IN (hPa on req)		Trans level: By ATC		Trans alt: 18000'	
1. DME required. 2. MAX IAS 130 KT from FAF to MAP.					MSA GIR VOR



GIR DME	1.0	2.0	3.0	4.0
ALTITUDE	2673'	2346'	2019'	1692'



Gnd Speed-Kts	70	90	100	120	140	160	PAPI-L	2500' GIR on 117.3 R-052 D8.0
MAP at D4.5 or FAF to MAP	4.5	3:51	3:00	2:42	2:15	1:56		



CIRCLE-TO-LAND	
Max Kts	MDA(H)
A 100	1410' (508') - 2600m
B 130	
C	NOT APPLICABLE
D	

PANS OPS

CHANGES: Approach frequency.

© JEPPESEN, 1999, 2016. ALL RIGHTS RESERVED.

BOGOTA Approach (R)				*VILA Tower	
119.65				118.4	
VOR GIR 117.3	Final Apch Crs 052°	Minimum Alt VOR 3000' (2098')	MDA(H) 1500' (598')	Apt Elev 902'	Rwy 902'
MISSED APCH: Climb outbound on GIR VOR R-052 to 2500', then climbing LEFT turn to 5000' to GIR VOR and hold.					
Alt Set: IN (hPa on req)		Trans level: By ATC		Trans alt: 18000'	
1. MAX IAS 130 KT from FAF to MAP.					MSA GIR VOR



Gnd speed-Kts	70	90	100	120	140	160	PAPI-L	2500'	GIR on 117.3 R-052	5000'	GIR 117.3
VOR to MAP	4.0	3:26	2:40	2:24	2:00	1:43		1:30	↑	← LT	

		CIRCLE-TO-LAND	
		MDA(H)	
A	Max Kts 100	1500' (598') - 2900m	
B	Max Kts 130		
C		NOT APPLICABLE	
D			

PANS OPS